

BJC



Iris

Curves that transform

BJC

Iris

Curves that transform



“

Its structure is ergonomically designed for easy, quick and hassle-free installation. Its compact mechanism makes use of all the space inside the flush-mounting box and facilitates cable routing.

Iris

Which colour defines you?

We invite you to discover and express your own style with Iris. This designer series of comes in a wide range of colours, so you can choose the one that best reflects your personality.



“The smooth and fluid curves of the Iris series complement any decoration style.”



BJC



White



Neptune Steel



Odyssey Gold



Chocolate



Mercury Aluminium

“Light up your space with solutions that combine energy and style.”

Iris

Balanced and smooth

(↔) Smooth curves

Front view with square lines

Can be wall mounted



It adapts to any decoration needs

+ Many different finishes

IP44 Solutions


“ Its balanced and soft design reflects your personality and complements your home décor perfectly. The choice is yours.

BJC

Iris

Accuracy and reliability

Socket outlets, with
the speed and safety
of the STAI system



..... MEC 18 switches

“ The high resistance of urea to wear and tear, coupled with the fact that BJC mechanisms effortlessly meet or exceed current regulatory requirements for contact operations, ensures that BJC series products have an extended useful life.



BJC




BJC


Iris

Component quality

The high quality of all the components, such as the silver contacts with the highest purity, enables us to offer 16 A in each one-way switch mechanism. We can also guarantee that they will far exceed the minimum changeover requirements required by current regulations before we take them to market.



“Designed for comfortable, quick and safe installation, each mechanism contains a multitude of precisely joined parts to ensure precise tilting and high switching power with the slightest touch.”



MEC18

One single mechanism is suitable for all five luxury BJC series: Iris, Iris Plus, Mega, Style and Miro.



Iris



Iris Plus



Mega



Style



Miro

- ▷ Our 16A MEC18 one-way and two-way switches allow for a large number of applications using the same mechanism, reducing the number of items and references you need to stock.
- ▷ The galvanised steel fixing frames are treated to prevent corrosion and ensure durable installation components.
- ▷ Fixing frames with top and bottom profiles makes assembly easier and ensures that the mechanisms in multiple frames are correctly aligned.



Iris

Antibacterial solutions



Thanks to their antibacterial finish, Iris and Iris Plus impede the survival and transmission of microorganisms. This makes them the perfect choice for environments in which microorganisms thrive and the risk of transmission is high, such as hospitals, care homes, residential homes, care centres and communal areas in offices or homeowners' associations.

“

It impedes the survival and transmission of microorganisms



BJC

Iris

Many different functions



1 RJ and fibre-optic sockets

This allows the fibre-optic cable to reach the required location and enables the router to be easily connected.



2 Dimmers

Dimmers are the perfect way to create an atmosphere in rooms by adjusting the lighting levels to the desired intensity.



3 IP44 protection

In all colours and frames. Same mechanism and frame as the IP20.



4 Motion detector

This practical and convenient safety solution also cuts costs.



White



Odyssey Gold



Chocolate



Mercury Aluminium



Neptune Steel



5 Centralised blind control

Allows all blinds to be raised or lowered with a single push-button, individually or together.



6 Dual USB chargers

USB Type A and C with fast charging and Power Delivery.



7 LED indicator light

They allow you to illuminate: stairs, waiting rooms, interiors, corridors and calls.



8 Multimedia

HDMI, VGA, RJ45, stereo, etc. connectors for a clean and cable-free installation. Ideal for homes and businesses.



9 Thermostats

Our thermostats can be used to control and adjust the temperature in each room.


“

The Iris series offers a wide range of functions to meet today's needs. These include light intensity dimmers, sound controllers, and mechanisms for raising and lowering blinds.


Iris IP44

Now also for outdoor use

- ▷ In all colours and frames.
- ▷ Schuko® socket outlet, single and double mechanism, TV and RJ.
- ▷ A single common IP20 frame from the same series.



RJ Iris IP44 assembly example



“

*Transform what you already have:
IP44 is compatible with standard
mechanisms and frames.*

BJC




Reference table for composing basic functions - Iris

Function	Mechanism	Switch/Cover	Frame
One-way switch	18505	18705*	18001*
Two-way switch	18506	18705*	18001*
Intermediate switch	18507	18705*	18001*
Double one-way switch	18509	18709*	18001*
Double two-way switch	18510	18709*	18001*
Push-button, bell symbol	18516	18716*	18001*
Push-button, bulb symbol	18516	18717*	18001*
Rotary dimmer	5TC8267	18749*	18001*
Schuko® socket outlet	18524	18724*	18001*
Schuko® socket outlet + dual USB Type A and Type C	18524-USBC	18724-USBC*	18001*
TV cover	2932	18330*	18001*
Single RJ socket outlet	19582-1	19782*	18001*
Double RJ socket outlet	19682-1	19882*	18001*
Blank cover	Mechanism + Cover	18033*	18001*
Cable output	18534	18734*	18001*
Buzzer	18536-B	18730*	18001*
Key card switch	Mechanism + Cover	18068*	18001*

* For remaining colours, add the extension colour:

Colour	White	-	
	Odyssey Gold	-OD	
	Chocolate	-CH	
	Mercury Aluminium	-MA	
	Neptune Steel	-AN	



Mechanism configuration wizard

Create your configuration by choosing from the different series of mechanisms, functions, switches and frames to achieve your desired finish. You can save your project.



Use the QR code to access the BJC configuration wizard



Visit our website

BJC

Fábrica Electrotécnica Josa, SAU
Av. de la Llana, 95
08191 Rubí (Barcelona)
España / Spain
935 610 500

Administration & Sales
900 67 00 77
ventas@bjc.es

Customer Service
935 610 526
sac@bjc.es

Technical Support
900 67 00 68
sat@bjc.es

www.bjc.es

