





Style

Unmistakeable and elegant


BJC

Style Unmistakeable and elegant





Over the years, many aspects of the Style series have remained unchanged, making its functional version one of the most recognised and recognisable on the market. Design, elegance and technology for homes, offices and hotels.




Style Design, elegance and technology

+ Elegant combinations that fully integrate into the spaces of today's buildings.


A design that has conquered homes, as well as professional and commercial environments.


The modern archetype of the classic series, both in terms of aesthetics and functionality.

Its structure is ergonomically designed for easy, quick and hassle-free installation.



Style Accuracy and reliability





MEC 18 switches and socket outlets, with the speed and safety of the STAI system.




The fact that BJC mechanisms effortlessly meet or exceed current regulatory requirements for contact operations, ensures that BJC series products have an extended useful life.






Style Component quality



The switches feature a powerful 16 A device with an automatic terminal connection.
Their ergonomic design ensures comfortable, easy and safe handling.





MEC 18

One single mechanism is suitable for all five luxury BJC series: Iris, Iris Plus, Mega, Style and Miro.










Iris





Mega





Style



Miro

- ⊳ Our one-way and two-way 16A MEC18 switches allow many different applications with the same mechanism, reducing the number of items and references you need to stock.
- > The galvanised steel fixing frames are treated to prevent corrosion and ensure durable installation components.
- > Fixing frames with top and bottom profiles makes assembly easier and ensures that the mechanisms in multiple frames are correctly aligned.







Style Many different functions



RJ and fibre-optic sockets

This allows the fibre-optic cable to reach the required location and enables the router to be easily connected.



2 Dimmers

Dimmers are the perfect way to create an atmosphere in rooms by adjusting the lighting levels to the desired intensity.



3 IP44 protection

In all colours and frames. Same mechanism and frame as the IP20.



4 R/TV-SAT socket outlets

Platinum

Metallic

White

Cosso

anthracite

Chocolate

Matt

white

black

Gold

They can be connected to R/TV-SAT outputs.





5 Centralised blind control

Allows all blinds to be raised or lowered with a single pushbutton, individually or together.



6 Dual USB chargers

USB Type A and C with fast charging and Power Delivery.



One-way switch with indicator light

The indicator light makes it easy to find the push-button in dimly lit areas.



8 Multimedia

HDMI, VGA, RJ45, stereo, etc. connectors for a clean and cable-free installation. Ideal for homes and businesses.



9 Thermostats

Our thermostats can be used to control and adjust the temperature in each room.



The Style series offers a wide range of functions to cater for today's needs. Light intensity dimmers, thermostats and mechanisms for raising and lowering blinds.




IP44 style Now also for outdoor use

- ⊳ In all colours and frames.
- ⊳ Schuko® socket outlet, single and double mechanism, TV and RJ.
- ⊳ A single common IP20 frame from the same series.
- ▶ Uses the same IP20 screwless terminal mechanism.










Reference table for composing basic functions - Style

							\bigcirc	
		Polar White	Platinum Metallic	Anthracite Cosso	Chocolate	Malt Gold	Matt White	Matt Black
Function	Mechanism	Switch/Cover	Switch/Cover	Switch/Cover	Switch/Cover	Switch/Cover	Switch/Cover	Switch/Cover
One-way switch	18505	5TG72705WH00	5TG72705PM00	5TG72705AC00	5TG72705CH00	5TG72705MG00	5TG72705SW00	5TG72705SB00
Two-way switch	18506	5TG72705WH00	5TG7270-5PM00	5TG72705AC00	5TG72705CH00	5TG72705MG00	5TG72705SW00	5TG72705SB00
Intermediate switch	18507	5TG72705WH00	5TG72705PM00	5TG72705AC00	5TG72705CH00	5TG72705MG00	5TG72705SW00	5TG72705SB00
Double one-way switch	18509	5TG72701WH00	5TG72701PM00	5TG72701AC00	5TG72701CH00	5TG72701MG00	5TG72701SW00	5TG72701SB00
Double two-way switch	18510	5TG72701WH00	5TG72701PM00	5TG72701AC00	5TG72701CH00	5TG72701MG00	5TG72701SW00	5TG72701SB00
Push-button, bell symbol	18516	5TG72705WH10	5TG72705PM10	5TG72705AC10	5TG72705CH10	5TG72705MG10	5TG72705SW10	5TG72705SB10
Push-button, bulb symbol	18516	5TG72705WH20	5TG72705PM20	5TG72705AC20	5TG72705CH20	5TG72705MG20	5TG72705SW20	5TG72705SB20
Rotary dimmer	5TC8267	5TC89120WH	5TC89120PM	5TC89120AC	5TC89120CH	5TC89120MG	5TC89120SW	5TC89120SB
Schuko® socket outlet	18524	5UH12724WH	5UH12724PM	5UH12724AC	5UH12724CH	5UH12724MG	5UH12724SW	5UH12724SB
Schuko® socket outlet + dual USB Type A and Type C	18524-USBC	5UH12725WH10	5UH1275PM10	5UH12725AC10	5UH12725CH10	5UH12725MG10	5UH12725SW10	5UH12725SB10
TV cover	Mechanism + Cover	5TG13380WH	5TG13381	5TG13380AC	5TG13380CH	5TG13380MG	5TG13380SW	5TG13380SB
Single RJ socket outlet	19582-1	5TG22782WH01	5TG22782PM01	5TG22782AC01	5TG22782CH01	5TG22782MG01	5TG22782SW01	5TG22782SB01
Double RJ socket outlet	19682-1	5TG22782WH02	5TG22782PM02	5TG22782AC02	5TG22782CH02	5TG22782MG02	5TG22782SW02	5TG22782SB02
Blank cover	Mechanism + Cover	5TG13300WH	5TG13301	5TG13300AC	5TG13300CH	5TG13300MG	5TG13300SW	5TG13300SB
Cable output	Mechanism + Cover	5TG13350WH	5TG13351	5TG13350AC	5TG13350CH	5TG13350MG	5TG13350SW	5TG13350SB
Key card switch	Mechanism + Cover	5TG48300WH	5TG48301	5TG48300AC	5TG48300CH	5TG48300MG	5TG48300SW	5TG48300SB
Frame		5TG13210WH	5TG13211	5TG13210AC	5TG13210CH	5TG13210MG	5TG13210SW	5TG13210SB



Mechanism configuration wizard

Create your configuration by choosing from the different series of mechanisms, functions, switches and frames to achieve your desired finish. You can save your project.



Use the QR code to access the BJC configuration wizard





BJC

Fábrica Electrotécnica Josa, SAU Av. de la Llana, 95 08191 Rubí (Barcelona) España / Spain 935 610 500

Administration & Sales 900 67 00 77 ventas@bjc.es

Customer Service 935 610 526 sac@bjc.es

Technical Support 900 67 00 68 sat@bjc.es

www.bjc.es





